

Technical Guide



VERO QUICKCAB

Carcases for Vero handleless rails

Please Note: The information shown in this literature is accurate as at the date of print/release shown on such information but it may be subject to changes after such date. Please therefore ensure that you are viewing the most current product available and check with us if you have any doubt about the suitability of the product or accuracy of the information shown.

IMPORTANT PLEASE NOTE:

The information contained in this literature is for illustrative purposes only to assist in choosing your desired kitchen. While we endeavour to keep the information up to date and correct we do not make any representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability and suitability of the doors and products that appear in this literature.

We aim to showcase as many different items as possible and therefore some products have been installed and photographed purely to show as many of our product features as possible and they should not be taken as an example of how they are intended to be installed in real kitchen installations.

It is therefore the responsibility of the installer to check the corresponding manufacturer's installation information and the manufacturer's technical information to ensure this is up to date and to ensure that the products can be fitted in a way they are displayed and the products are suitable for your requirements.

We specifically exclude any liability in this regard unless the products are fitted in accordance with the specifications we supply and the manufacturer's installation recommendations are used in a way recommended by the manufacturer and in accordance with the manufacturer's technical information provided.

The information shown in this literature is accurate as at the date of print/release shown on such information but it may be subject to changes after such date. Please therefore ensure that you are viewing the most current product information available and check with us if you have any doubt about the suitability of the product or accuracy of the information shown.


We are proud that all our products that we sell are covered by a statutory warranty but this does not stop all our products naturally ageing overtime. As a result of this natural ageing process we are therefore unable to provide an identical colour finish to the existing products you have purchased from us with any products that we supply you from the same product line. In such event our liability will be limited to the purchase price paid for the product you are seeking to replace.

Due to the limitations on photographic reproduction, colours may differ slightly from the actual products shown. Please note that board matches listed with the doors are a suggestion only and better board matches may be available on the market. It is up to the individual to decide on its suitability.

VERO QUICKCAB

Pre-routed cabinets

Available in 4 colours on a 10-15 working day lead time.



SAVE 75%
of kitchen cabinet build time*

*Based on 7 1/2 minute standard cabinet build time
vs 2 minutes build time for Quickcab.

Vero Quickcab Carcasses

Product Overview

Vero Cabinet Colours



WHITE

Prefix code: 384
Board Colour: Egger W980



IVORY

Prefix code: 383
Board Colour: Egger U104



LIGHT GREY

Prefix code: 487
Board Colour: Egger U708



STONE GREY


Prefix code: 387
Board Colour: Egger U727

Please note: The Vero Quickcab prefix codes are different to our standard Quickcab prefix codes.

Features


Solid 18mm back panel

on base units for strength and rigidity




100mm cross rail

for added stability & practicality




2mm PVC leading edging*

for high impact resistance




Pre-drilled drawer holes

for drawerline, 2 drawer pack & 3 drawer pack




Variable shelf position

with metal studs for easy repositioning



150mm adjustable legs

to compensate for uneven floors




* All Quickcab units have a 2mm leading edge on shelves. All other exposed leading edges will be a 0.4mm melamine edge.

Vero Quickcab Carcasses


Product Overview

Vero Base Units




- Top section pre-routed
- Pre-drilled holes for quick fix brackets

Vero 2/3 Drawer Units



- Top and mid sections pre-routed
- Pre-drilled holes for quick fix brackets


Vero Wall Units



- Base panel set back & groove routed for wall profile


Vero Larder & Appliance Units

Single Gable Unit



- Cabinet gable set back on ONE side for lateral or intermediate vertical profile.
- Universal design, used for both Left Hand and Right Hand units.
- Single gable units are part of any larder combination.

Double Gable Unit



- Cabinet gable set back on BOTH sides for intermediate vertical profiles.
- Used for the MIDDLE unit/s on a larder run of 3 or 4.

Additional Vero Cabinet Features

- Gables marked for hinges, 100mm centres
- Silence hinges included with all cabinets
- All cabinets have 2mm PVC leading edge
- Pre-drilled holes for drawer runners on 2/3 drawer units
- Wall units supplied with concealed hangers and plates
- Back panel is solid MFC
- Includes 5mm colour co-ordinated cover caps

BASE, LARDER & APPLIANCE UNIT SIZES	HEIGHT	BACK
Standard Base Unit	720mm	18mm
Larder & Appliance Units	1970mm	8mm
Extra Tall Larder & Appliance Units	2150mm	8mm


WALL UNIT SIZES	HEIGHT	BACK
Bridging Unit	360mm	8mm
Standard Wall Unit	720mm	8mm
Tall Wall Unit	900mm	8mm

Vero Quickcab Carcasses


Vero technical tips & info




Top profile installation



Step 1.
Attach Vero Quick Fix bracket to Quickcab base unit using screws.



Step 2.
Slide connector into back of top profile and turn 90 degrees.



Step 3.
Apply top profile to base unit and push connector into the bracket.


Drawer units

Drawer 1 (325mm)	Drawer 1 (160mm)
	Drawer 2 (160mm)
Drawer 2 (325mm)	Drawer 3 (325mm)

Second drawer on this combination opened from mid profile


2 and 3 drawer combinations are possible with Vero Quickcab. **Holes are already pre-drilled** for drawer runners.

Drawer runners



Attach drawer runners using the **bottom row of holes** on the runner, using either 2 x Euro screws at the pre-drilled holes, or 4 x chip board screws at hole positions of your choice.

Larder unit spacing



Remember to **add a 35mm space in between two larder units** to maintain the void created by the vertical profile trim.

Integrated appliances




Pssst!
Vero is suitable to use with most integrated appliances.

If installing an integrated under counter appliance, **extend the cabinet legs to a min. height of 160mm**, and ensure appliance height doesn't exceed 820mm, to ensure the appliance will fit underneath the top rail.

Vero Quickcab Carcasses

Vero Single Base Unit 720mm




- Includes 1 shelf
- Top section pre-routed to accommodate Vero top profile
- Pre-drilled holes for Vero Quick Fix brackets

Height: 720mm

Back: 18mm

Code	Description
XXX VBASE150	Vero base unit, 150mm
XXX VBASE300	Vero base unit, 300mm
XXX VBASE350	Vero base unit, 350mm
XXX VBASE400	Vero base unit, 400mm
XXX VBASE450	Vero base unit, 450mm
XXX VBASE500	Vero base unit, 500mm
XXX VBASE600	Vero base unit, 600mm

Vero Double Base Unit 720mm




- Includes 1 shelf & a centre post
- Top section pre-routed to accommodate Vero top profile
- Pre-drilled holes for Vero Quick Fix brackets
- Converted to corner base using a blanking panel

Height: 720mm

Back: 18mm

Code	Description
XXX VBASE700	Vero base unit, 700mm
XXX VBASE800	Vero base unit, 800mm
XXX VBASE900	Vero base unit, 900mm
XXX VBASE1000	Vero base unit, 1000mm
XXX VBANK	Vero blanking panel, 720mm (h) x 500mm (w)

Vero Under Oven Housing Unit 720mm



- Includes 1 fixed shelf for oven
- Open back
- Same design as standard cabinets


Height: 720mm

Back: No back (open)

Code	Description
XXX VUOH600	Vero under oven housing unit, 600mm

Vero Quickcab Carcasses

Vero Single 2/3 Drawer Base Unit 720mm




- Top and mid sections pre-routed to accommodate Vero top and mid profiles
- Pre-drilled holes for Vero Quick Fix brackets
- Suitable for 2 and 3 drawer combinations
- Drawer packs purchased separately

Height: 720mm

Back: 18mm

Code	Description
XXXVDBASE500	Vero 2/3 drawer base unit, 500mm
XXXVDBASE600	Vero 2/3 drawer base unit, 600mm

Vero Double 2/3 Drawer Base Unit 720mm




- Top and mid sections pre-routed to accommodate Vero top and mid profiles
- Pre-drilled holes for Vero Quick Fix brackets
- Suitable for 2 and 3 drawer combinations
- Drawer packs purchased separately

Height: 720mm

Back: 18mm

Code	Description
XXXVDBASE800	Vero 2/3 drawer base unit, 800mm
XXXVDBASE900	Vero 2/3 drawer base unit, 900mm
XXXVDBASE1000	Vero 2/3 drawer base unit, 1000mm

Vero L Shaped Corner Base Unit 720mm



- Includes 1 shelf
- Top section pre-routed to accommodate Vero top profile
- Pre-drilled holes for Vero Quick Fix brackets

Height: 720mm

Size: 900 x 900mm

Back: 18mm

Opening sizes
(incl. gable ends)


340

340

Code	Description
XXXVCBASE900	Vero L shaped corner base unit, 900 x 900mm

Vero Quickcab Carcasses

Vero Single Wall Unit 720mm




- Includes 2 shelves
- Base panel set back with 20mm and groove routed to accommodate Vero wall profile

Height: 720mm
Back: 8mm

Code	Description
XXXVWALL300	Vero wall unit, 300mm
XXXVWALL350	Vero wall unit, 350mm
XXXVWALL400	Vero wall unit, 400mm
XXXVWALL450	Vero wall unit, 450mm
XXXVWALL500	Vero wall unit, 500mm
XXXVWALL600	Vero wall unit, 600mm

Vero Double Wall Unit 720mm




- Includes 2 shelves
- Base panel set back with 20mm and groove routed to accommodate Vero wall profile
- Supplied with centrepost and L bracket to secure centre post into Vero wall profile

Height: 720mm
Back: 8mm


Code	Description
XXXVWALL700	Vero wall unit, 700mm
XXXVWALL800	Vero wall unit, 800mm
XXXVWALL900	Vero wall unit, 900mm
XXXVWALL1000	Vero wall unit, 1000mm

Vero L Shaped Corner Wall Unit 720mm



- Includes 2 shelves
- Base panel set back with 20mm and groove routed to accommodate Vero wall profile


Height: 720mm
Size: 600 x 600mm
Back: 8mm



Code	Description
XXXVCWALL600	Vero L shaped corner wall unit, 600 x 600mm

Vero Quickcab Carcasses

Vero Splay Corner Wall Unit 720mm




- Includes 2 shelves
- Base panel set back with 20mm and groove routed to accommodate Vero wall profile

Height: 720mm
Size: 600 x 600mm
Back: 8mm

Code	Description
XXXVDWALL600	Vero splay corner wall unit, 600 x 600mm

Vero Tall Single Wall Unit 900mm




- Includes 2 shelves
- Base panel set back with 20mm and groove routed to accommodate Vero wall profile

Height: 900mm
Back: 8mm

Code	Description
XXXVTWALL300	Vero tall wall unit, 300mm
XXXVTWALL400	Vero tall wall unit, 400mm
XXXVTWALL450	Vero tall wall unit, 450mm
XXXVTWALL500	Vero tall wall unit, 500mm
XXXVTWALL600	Vero tall wall unit, 600mm

Vero Tall Double Wall Unit 900mm




- Includes 2 shelves
- Base panel set back with 20mm and groove routed to accommodate Vero wall profile
- Supplied with centre post and L bracket to secure centre post into Vero wall profile

Height: 900mm
Back: 8mm

Code	Description
XXXVTWALL800	Vero tall wall unit, 800mm
XXXVTWALL900	Vero tall wall unit, 900mm
XXXVTWALL1000	Vero tall wall unit, 1000mm

Vero Quickcab Carcasses

Vero Tall Splay Corner Wall Unit 900mm




- Includes 2 shelves
- Base panel set back with 20mm and groove routed to accommodate Vero wall profile

Height: 900mm
Size: 600 x 600mm
Back: 8mm

Code	Description
XXXVTDWALL600	Vero tall splay corner wall unit, 600 x 600mm

Vero Single Bridging Unit 360mm




- Base panel set back with 20mm and groove routed to accommodate Vero wall profile

Height: 360mm
Back: 8mm

Code	Description
XXXVBRIDGE500	Vero bridging unit, 500mm
XXXVBRIDGE600	Vero bridging unit, 600mm

Vero Double Bridging Unit 360mm




- Base panel set back with 20mm and groove routed to accommodate Vero wall profile

Height: 360mm
Back: 8mm

Code	Description
XXXVBRIDGE800	Vero bridging unit, 800mm
XXXVBRIDGE900	Vero bridging unit, 900mm
XXXVBRIDGE1000	Vero bridging unit, 1000mm

Vero Quickcab Carcasses

Vero Larder/Appliance Ends & Back - Single Gable 1970mm




- Includes two 18mm ends and one 8mm back panel.
- Shelf pack not included and must be purchased separately.
- Front of cabinet set back by 20mm on ONE side to accommodate a lateral or intermediate vertical Vero profile.
- Universal design, can be used for either Right Hand or Left Hand units.
- Single gable units are part of any larder combination.
- Please note, a 35mm space is required in between two larder units or larder unit & end panel to maintain the void created by the vertical profile trim.

Height: 1970mm

Back: 8mm

Code	Description
XXXVTALLEND300S	Vero larder ends & back - single gable, 300mm
XXXVTALLEND400S	Vero larder ends & back - single gable, 400mm
XXXVTALLEND500S	Vero larder ends & back - single gable, 500mm
XXXVTALLEND600S	Vero larder/appliance ends & back - single gable, 600mm

Vero Larder/Appliance Ends & Back - Double Gable 1970mm



- Includes two 18mm ends and one 8mm back panel.
- Shelf pack not included and must be purchased separately.
- Front of cabinet set back by 20mm on BOTH sides to accommodate intermediate vertical Vero profiles.
- Double gable units are used for the MIDDLE unit/s on a larder run of 3 or on a larder run of 4 where a symmetrical look is preferred.
- Please note, a 35mm space is required in between two larder units or larder unit & end panel to maintain the void created by the vertical profile trim.


Height: 1970mm

Back: 8mm

Code	Description
XXXVTALLEND300D	Vero larder ends & back - double gable, 300mm
XXXVTALLEND400D	Vero larder ends & back - double gable, 400mm
XXXVTALLEND500D	Vero larder ends & back - double gable, 500mm
XXXVTALLEND600D	Vero larder/appliance ends & back - double gable, 600mm

Vero Quickcab Carcasses

Vero Extra Tall Larder/Appliance Ends & Back - Single Gable 2150mm




- Includes two 18mm ends and one 8mm back panel.
- Shelf pack not included and must be purchased separately.
- Front of cabinet set back by 20mm on ONE side to accommodate a lateral or intermediate vertical Vero profile.
- Universal design, can be used for either Right Hand or Left Hand units.
- Single gable units are part of any larder combination.
- Please note, a 35mm space is required in between two larder units or larder unit & end panel to maintain the void created by the vertical profile trim.

Height: 2150mm

Back: 8mm

Code	Description
XXXVTTALLEND300S	Vero extra tall larder ends & back - single gable, 300mm
XXXVTTALLEND400S	Vero extra tall larder ends & back - single gable, 400mm
XXXVTTALLEND500S	Vero extra tall larder ends & back - single gable, 500mm
XXXVTTALLEND600S	Vero extra tall larder/appliance ends & back - single gable, 600mm

Vero Extra Tall Larder/Appliance Ends & Back - Double Gable 2150mm



- Includes two 18mm ends and one 8mm back panel.
- Shelf pack not included and must be purchased separately.
- Front of cabinet set back by 20mm on BOTH sides to accommodate intermediate vertical Vero profiles.
- Double gable units are used for the MIDDLE unit/s on a larder run of 3 or on a larder run of 4 where a symmetrical look is preferred.
- Please note, a 35mm space is required in between two larder units or larder unit & end panel to maintain the void created by the vertical profile trim.


Height: 2150mm

Back: 8mm

Code	Description
XXXVTTALLEND300D	Vero extra tall larder ends & back - double gable, 300mm
XXXVTTALLEND400D	Vero extra tall larder ends & back - double gable, 400mm
XXXVTTALLEND500D	Vero extra tall larder ends & back - double gable, 500mm
XXXVTTALLEND600D	Vero extra tall larder/appliance ends & back - double gable, 600mm

Vero Quickcab Carcasses

Shelf Pack - for Vero Larder/Appliance Unit



- Includes 6 shelves: 1 x top, 1 x bottom, 3 x fixed & 1 x floating shelf.
- Shelf packs are required in addition to the Vero Larder/Appliance Ends & Back in order to create a complete Vero larder or appliance unit.

Code	Description
XXXVTALL300SP	Shelf pack for Vero larder unit, 300mm
XXXVTALL400SP	Shelf pack for Vero larder unit, 400mm
XXXVTALL500SP	Shelf pack for Vero larder unit, 500mm
XXXVTALL600SP	Shelf pack for Vero larder/appliance unit, 600mm

Example larder run with single gable units:



Vero larder & appliance units:

- Vero larder/appliance ends & back (x 4), single gable, 1970mm height, 600mm wide
- Shelf packs for Vero larder/appliance unit (x 4), 600mm wide

Vero aluminium profiles & accessories:


- Vertical profile intermediate (x 1), 4200 x 53.3 x 41mm, cut to size
- Spacer for appliance (x 1), 580mm, cut to size

Vivo for vero doors (gloss anthracite):


- Full height doors (x 2), 1965 x 596mm
- 645 x 596mm doors (x 2)
- 715 x 596mm doors (x 2)

Vero Quickcab Carcasses


CORNER BASE UNIT INFORMATION




Base Unit: 800mm (w)
Door size: 396mm (w) x 685mm (h)
Blanking panel: 500mm (w), can be cut to size




Base Unit: 900mm (w)
Door size: 446mm (w) x 685mm (h)
Blanking panel: 500mm (w), can be cut to size



Base Unit: 1000mm (w)
Door size: 496mm (w) x 685mm (h)
Blanking panel: 500mm (w), can be cut to size



Base Unit: 1000mm (w)
Door size: 596mm (w) x 685mm (h)
Blanking panel: 500mm (w), can be cut to size



Base Unit: 900 x 900mm L-shape
Door size: 2 x 313mm (w) x 685mm (h)
Hinges: 165° and Pie-cut Corner hinges to be used for the bi-fold corner door



* PLEASE NOTE:

Dimensions are based on 70 x 70mm Vivo slab corner post. Corner post sizes vary between ranges which affects the size of the required distance from wall to end of corner cabinet. Please make sure the distance is adjusted to reflect the size of the corner post for the specific door range.

Void is covered by the worktop after installation.


Guide to LH / RH corner wirework units

Wirework is handed by the side the door is on. The door is hinged on the side that the blanking panel is on (applies to Combi pull out shelves).




Vero Quickcab Carcases

CORNER WALL UNIT INFORMATION



Wall Unit: 600 x 600mm L-shape
Door size: 2 x 273/277mm (w) x 715mm (h)
Hinges: 165° and Pie-cut Corner hinges to be used for the bi-fold corner door.



Wall Unit: 600 x 600mm D-shape
Door size: 396mm (w) x 715/895mm (h)